

TSGTOURING









TSG Drop Ladders are part of the TSG Touring range. They are a modular and flexible system for hanging fixture positions over an 8mt vertical length which all packs down into a flexible dolly system capable of carry all the items for the range and a full complement of accessories. Key points are as follows.

Drop Ladders

- 2mts long with an easy yet ridged joining system.
- Each ladder includes 2 fully adjustable bars for attaching fixtures.
- Ladders can take any number of adjustable bars, within reason.
- Capable of having differing suspension methods i.e., eyebolts or Scaff clamps
- Ladders are open ended to afford maximum space for hanging fixtures.

Dolly

- Allows for multiply ladders, with or without fixtures to be stored.
- Specific and easy storage point for all accessories.
- Bottom trays for any loose items you might want to carry.
- Can flat pack for storage.
- Adjustable side rails for different support points during transit.
- Robust 125mm dia castors.

All items are powder coated black as standard.

In addition, the TSG Drop Ladders are compatible with other items in the TSG Touring range, for example the TML Tuss Multi-Purpose wheel board, providing a flexible system for your various touring needs.
































Material Specifications

Main Cord: 48.4mm x 4.47mm 48.4mm x 4.47mm Braces: Material Specifications: EN AW-6082 T6

Long Spigot: TFT pins & R3 Clips **Fixings**

Item Codes, Weights and Dimensions

DL69-200-B	Drop Ladder, 690mm x 2000mm length, Black, inc 2 x DL69-AB-B	1990mm x 691mm x 48.4mm	63 kg
DL69-AB-B	Drop Ladder, 690mm width, Adjustable Bar, Black	677mm x 48.4mm x 48.4mm	55 kg
DL69-CB-B	Drop Ladder, 690mm width, Capping Bar, Black	691mm x 48.4mm x 89mm	47 kg
DLD-B	Drop Ladder Dolly for 4 ladders plus - Black	2200mm x 790mm x 2216mm	39 kg
DLD-DS	Drop Ladder - Ladder Hanging Spigot	548mm x 520mm x 609mm	23 kg
DLD-UACP	Drop Ladder Dolly upright anti crush plate	200mm x 480mm x 100mm	0.15 kg
DLD-WB-B	Drop Ladder Wheelboard Dolly for 1 ladder - Black	748mm x 748mm x 143mm	8.5 kg
TML-MPWB	TML Truss Multi Purpose Wheel Board - Black - No Fix No Jack	1200mm x 700mm x 215mm	12.6 kg
DLD-DS	Drop Ladder - Ladder Dolly Spigot	210mm x 48.4mm x 48.4mm	0.60 kg
DLHS	Drop Ladder Hanging Spigot, M12 Thread only (Not inc TFT's)	240mm x 48.4mm x 48.4mm	0.72 kg
DLJS	Drop Ladder Joining Spigot (Not inc TFT's)	410mm x 48.4mm x 48.4mm	1.02 Kg

Design Specification

Manufactured in accordance with

BS EN 1090-3:2008: Technical Requirements for aluminium structures

EN ISO 9001:2015: Quality management systems

BS EN 1999 Pt 1-1: Design of Aluminium Structures, General structural rules

EN17115: Entertainment Technology: Specifications for design, manufacture of aluminium

and steel trusses and towers



















Drop Ladder Dolly Loaded







Drop Ladder



Other sizes are available on request









